

Unit 3 – References

1. **Aaltonen K, Laurikka P, Huhtala H et al.** (2017) The Long-Term Consumption of Oats in Celiac Disease Patients Is Safe: A Large Cross-Sectional Study. *Nutrients* **9**. <http://www.ncbi.nlm.nih.gov/pubmed/28617328>
2. **Abdulkarim AS, Burgart LJ, See J et al.** (2002) Etiology of nonresponsive celiac disease: results of a systematic approach. *Am J Gastroenterol* **97**, 2016-2021. <http://www.ncbi.nlm.nih.gov/pubmed/12190170>
3. **Akobeng AK & Thomas AG** (2008) Systematic review: tolerable amount of gluten for people with coeliac disease. *Alimentary pharmacology & therapeutics* **27**, 1044-1052. <http://www.ncbi.nlm.nih.gov/pubmed/18315587>
4. **Andersen G, Köhler H, Rubach M et al.** (2015) Jahresbericht der Deutschen Forschungsanstalt 2014, pp. 136-139. Freising
5. **Association of European Coeliac Societies (AOECS)** (2015) Gluten Free Restaurants. <http://www.aoecs.org/gluten-free-restaurants> (accessed 7 April 2014)
6. **Association of European Coeliac Societies (AOECS)** (2015) Licensing the Crossed Grain symbol. <http://www.aoecs.org/licensing-crossed-grain-symbol> (accessed 7 April 2017)
7. **Bakker SF, Tushuizen ME, von Blomberg BM et al.** (2016) Screening for coeliac disease in adult patients with type 1 diabetes mellitus: myths, facts and controversy. *Diabetol Metab Syndr* **8**, 51. <http://www.ncbi.nlm.nih.gov/pubmed/27478507>
8. **Bascunan KA, Vespa MC & Araya M** (2017) Celiac disease: understanding the gluten-free diet. *Eur J Nutr* **56**, 449-459. <http://www.ncbi.nlm.nih.gov/pubmed/27334430>
9. **Berti C, Riso P, Monti LD et al.** (2004) In vitro starch digestibility and in vivo glucose response of gluten-free foods and their gluten counterparts. *Eur J Nutr* **43**, 198-204. <http://www.ncbi.nlm.nih.gov/pubmed/15309439>
10. **Catassi C, Fabiani E, Iacono G et al.** (2007) A prospective, double-blind, placebo-controlled trial to establish a safe gluten threshold for patients with celiac disease. *Am J Clin Nutr* **85**, 160-166. <http://www.ncbi.nlm.nih.gov/pubmed/17209192>
11. **Celiac Support Association** (2014) Carbohydrate Intolerance and Celiac Disease. https://www.csaceliacs.org/carbohydrate_intolerance_fact_sheet.jsp (accessed 12 July 2017)
12. **Ciacci C, Ciclitira P, Hadjivassiliou M et al.** (2015) The gluten-free diet and its current application in coeliac disease and dermatitis herpetiformis. *United European Gastroenterol J* **3**, 121-135. <http://www.ncbi.nlm.nih.gov/pubmed/25922672>
13. **Coeliac UK Children**. <https://www.coeliac.org.uk/gluten-free-diet-and-lifestyle/support-for-parents/children/> (accessed 11 December 2017)
14. **Coeliac UK Gluten**. <https://www.coeliac.org.uk/gluten-free-diet-and-lifestyle/gf-diet/gluten/> (accessed 11 December 2017)
15. **Coeliac UK Grains**. <https://www.coeliac.org.uk/gluten-free-diet-and-lifestyle/gf-diet/grains/> (accessed 11 December 2017)
16. **Coeliac UK Law on gluten free**. <https://www.coeliac.org.uk/gluten-free-diet-and-lifestyle/food-shopping/law-on-gluten-free/> (accessed 11 December 2017)
17. **Coeliac UK Vegetarians and vegans**. <https://www.coeliac.org.uk/gluten-free-diet-and-lifestyle/keeping-healthy/vegetarians-and-vegans/> (accessed 11 December 2017)
18. **Commission of the European Communities** (2007) Commission Directive 2003/68/EC of 27 November 2007 on amending Annex IIIa to Directive 2000/13/EC of the European Parliament and of the Council as regards certain food ingredients Brussels

19. **Deutsche Zöliakie Gesellschaft e. V. (DZG)** Celiac Disease - Living with a gluten-free diet. Stuttgart: DZG.http://www.dzg-online.de/files/140805_flyer_glutenfrei_leben_e_web.pdf
20. **Deutsche Zöliakie Gesellschaft e. V. (DZG)** (2010) Zöliakie und Diabetes mellitus. Stuttgart: DZG
21. **Deutsche Zöliakie Gesellschaft e. V. (DZG)** (2011) Zöliakie und Fructosemalabsorption. Stuttgart: DZG
22. **Deutsche Zöliakie Gesellschaft e. V. (DZG)** (2016) Hafer in der glutenfreien Ernährung - Stellungnahme der Deutschen Zöliakie-Gesellschaft e. V.: DZG.https://www.dzg-online.de/files/2016_05_stellungnahme_hafer_dzg.pdf
23. **Di Genova T & Guyda H** (2007) Infants and children consuming atypical diets: Vegetarianism and macrobiotics. *Paediatr Child Health* **12**, 185-188. <http://www.ncbi.nlm.nih.gov/pubmed/19030357>
24. **Diabetes UK** Fibre and diabetes. <https://www.diabetes.org.uk/Guide-to-diabetes/Enjoy-food/Carbohydrates-and-diabetes/fibre-and-diabetes/> (accessed 11 December 2017)
25. **Diamanti A, Capriati T, Basso MS et al.** (2014) Celiac disease and overweight in children: an update. *Nutrients* **6**, 207-220. <http://www.ncbi.nlm.nih.gov/pubmed/24451308>
26. **Dickey W & Kearney N** (2006) Overweight in celiac disease: prevalence, clinical characteristics, and effect of a gluten-free diet. *Am J Gastroenterol* **101**, 2356-2359. <http://www.ncbi.nlm.nih.gov/pubmed/17032202>
27. **Erickson AK** (2015) Gluten in medications: A dangerous prescription for patients with celiac disease.<https://www.pharmacist.com/gluten-medications-dangerous-prescription-patients-celiac-disease>
28. **European Commission** (2014) Commission Implementing Regulation No 828/2014 of 30 July 2014 on the requirements for the provision of information to consumers on the absence or reduced presence of gluten in food. Brussels
29. **European Parliament & Council of the European Union** (2003) Directive 2003/89/EC of the European Parliament and of the council of 10 November 2003 amending Directive 2000/13/EC as regards indication of the ingredients present in foodstuffs. Brussels
30. **European Parliament & Council of the European Union** (2011) Regulation (EU) No 1169/2011 of the European Parliament and of the council of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004. Strasbourg
31. **FAO & WHO** (2008) Codex Alimentarius: Codex Standard for Foods for Special Dietary Use For Persons Intolerant to Gluten. Codex Stan 118-1979. Rome/Geneva: Food and Agricultural Organization of the United Nations/ World Health Organization
32. **Farage P & Zandonadi R** (2014) The Gluten-Free Diet: Difficulties Celiac Disease Patients have to Face Daily. *Austin J Nutri Food Sci* **2**.
33. **Food Intolerance Network** (2013) Prehistoric man and lactose intolerance.<https://www.food-intolerance-network.com/food-intolerances/lactose-intolerance/ethnic-distribution-and-prevalence.html>
34. **Food Intolerance Network** (2014) Fructose malabsorption or hereditary fructose intolerance?<https://www.food-intolerance-network.com/food-intolerances/fructose-malabsorption-fructose-intolerance/fructose-malabsorption-and-hereditary-fructose-intolerance-hfi.html>
35. **Food Standards Agency** (2012) Claims about gluten: consumer advice.<https://www.food.gov.uk/sites/default/files/multimedia/pdfs/publication/glutenconsumer.pdf>

36. **Food Standards Agency** (2013) Advice on food allergen labelling. How to buy food safely when you have a food allergy or intolerance.<https://www.food.gov.uk/sites/default/files/multimedia/pdfs/publication/allergy-leaflet.pdf>
37. **Garcia-Manzanares A & Lucendo AJ** (2011) Nutritional and dietary aspects of celiac disease. *Nutr Clin Pract* **26**, 163-173. <http://www.ncbi.nlm.nih.gov/pubmed/21447770>
38. **Garsed K & Scott BB** (2007) Can oats be taken in a gluten-free diet? A systematic review. *Scand J Gastroenterol* **42**, 171-178. <http://www.ncbi.nlm.nih.gov/pubmed/17327936>
39. **Gibert A, Espadaler M, Angel Canela M et al.** (2006) Consumption of gluten-free products: should the threshold value for trace amounts of gluten be at 20, 100 or 200 p.p.m.? *Eur J Gastroenterol Hepatol* **18**, 1187-1195. <http://www.ncbi.nlm.nih.gov/pubmed/17033440>
40. **Gilissen L, van der Meer IM & Smulders MJM** (2016) Why Oats Are Safe and Healthy for Celiac Disease Patients. *Med Sci (Basel)* **4**. <http://www.ncbi.nlm.nih.gov/pubmed/29083384>
41. **Gobetti M, Pontonio E, Filannino P et al.** (2017) How to improve the gluten-free diet: The state of the art from a food science perspective. *Food Research International*.
42. **Hischenhuber C, Crevel R, Jarry B et al.** (2006) Review article: safe amounts of gluten for patients with wheat allergy or coeliac disease. *Alimentary pharmacology & therapeutics* **23**, 559-575. <http://www.ncbi.nlm.nih.gov/pubmed/16480395>
43. **Kaukinen K, Collin P, Holm K et al.** (1999) Wheat starch-containing gluten-free flour products in the treatment of coeliac disease and dermatitis herpetiformis. A long-term follow-up study. *Scand J Gastroenterol* **34**, 163-169. <http://www.ncbi.nlm.nih.gov/pubmed/10192194>
44. **Kelly CP, Green PH, Murray JA et al.** (2013) Larazotide acetate in patients with coeliac disease undergoing a gluten challenge: a randomised placebo-controlled study. *Alimentary pharmacology & therapeutics* **37**, 252-262. <http://www.ncbi.nlm.nih.gov/pubmed/23163616>
45. **Lee AR, Ng DL, Dave E et al.** (2009) The effect of substituting alternative grains in the diet on the nutritional profile of the gluten-free diet. *J Hum Nutr Diet* **22**, 359-363. <http://www.ncbi.nlm.nih.gov/pubmed/19519750>
46. **Lohiniemi S, Maki M, Kaukinen K et al.** (2000) Gastrointestinal symptoms rating scale in coeliac disease patients on wheat starch-based gluten-free diets. *Scand J Gastroenterol* **35**, 947-949. <http://www.ncbi.nlm.nih.gov/pubmed/11063154>
47. **Lundin KE, Nilsen EM, Scott HG et al.** (2003) Oats induced villous atrophy in coeliac disease. *Gut* **52**, 1649-1652. <http://www.ncbi.nlm.nih.gov/pubmed/14570737>
48. **Maki M** (2014) Celiac disease treatment: gluten-free diet and beyond. *J Pediatr Gastroenterol Nutr* **59 Suppl 1**, S15-17. <http://www.ncbi.nlm.nih.gov/pubmed/24979194>
49. **Marchese A, Lovati E, Biagi F et al.** (2013) Coeliac disease and type 1 diabetes mellitus: epidemiology, clinical implications and effects of gluten-free diet. *Endocrine* **43**, 1-2. <http://www.ncbi.nlm.nih.gov/pubmed/22820894>
50. **Mariani P, Viti MG, Montuori M et al.** (1998) The gluten-free diet: a nutritional risk factor for adolescents with celiac disease? *J Pediatr Gastroenterol Nutr* **27**, 519-523. <http://www.ncbi.nlm.nih.gov/pubmed/9822315>
51. **Midhagen G & Hallert C** (2003) High rate of gastrointestinal symptoms in celiac patients living on a gluten-free diet: controlled study. *Am J Gastroenterol* **98**, 2023-2026. <http://www.ncbi.nlm.nih.gov/pubmed/14499782>
52. **Niewinski MM** (2008) Advances in celiac disease and gluten-free diet. *J Am Diet Assoc* **108**, 661-672. <http://www.ncbi.nlm.nih.gov/pubmed/18375224>
53. **Nutri People** (2011) General Health - Is it really gluten free? New labelling legislation- what you need to know. <http://www.nutripeople.co.uk/general-health.asp?title=is-it-really-gluten-free> (accessed 30 May 2017)

54. **Packer SC, Dornhorst A & Frost GS** (2000) The glycaemic index of a range of gluten-free foods. *Diabet Med* **17**, 657-660. <http://www.ncbi.nlm.nih.gov/pubmed/11051285>
55. **Peraaho M, Kaukinen K, Paasikivi K et al.** (2003) Wheat-starch-based gluten-free products in the treatment of newly detected coeliac disease: prospective and randomized study. *Alimentary pharmacology & therapeutics* **17**, 587-594. <http://www.ncbi.nlm.nih.gov/pubmed/12622768>
56. **Pinto-Sanchez MI, Causada-Caló N, Bercik P et al.** (2017) Safety of Adding Oats to a Gluten-Free Diet for Patients With Celiac Disease: Systematic Review and Meta-analysis of Clinical and Observational Studies. *Gastroenterology* **153**, 395-409 e393. <http://www.ncbi.nlm.nih.gov/pubmed/28431885>
57. **Saturni L, Ferretti G & Bacchetti T** (2010) The gluten-free diet: safety and nutritional quality. *Nutrients* **2**, 16-34. <http://www.ncbi.nlm.nih.gov/pubmed/22253989>
58. **Schaefer JJ** (2011) *Serving People with Food Allergies: Kitchen management and Menu Creation*. Boca Raton (FL): CRC Press
59. **Scherf KA & Köhler P** (2016) Wheat and gluten: technological and health aspects. *Ernährungs Umschau* **63**, 166-175. https://www.ernaehrungs-umschau.de/fileadmin/Ernaehrungs-Umschau/pdfs/pdf_2016/08_16/EU08_2016_Special_Koehler_engl.pdf
60. **Shewry PR & Hey SJ** (2015) The contribution of wheat to human diet and health. *Food Energy Secur* **4**, 178-202. <http://www.ncbi.nlm.nih.gov/pubmed/27610232>
61. **Silvester JA, Graff LA, Rigaux L et al.** (2016) Symptomatic suspected gluten exposure is common among patients with coeliac disease on a gluten-free diet. *Alimentary pharmacology & therapeutics* **44**, 612-619. <http://www.ncbi.nlm.nih.gov/pubmed/27443825>
62. **Tanner G, Colgrave M & Howitt CA** (2014) Gluten, Celiac Disease, and Gluten Intolerance and the Impact of Gluten Minimization Treatments with Prolylendopeptidase on the Measurement of Gluten in Beer. *J Am Soc Brew Chem* **72**, 36-50.
63. **Theethira TG & Dennis M** (2015) Celiac disease and the gluten-free diet: consequences and recommendations for improvement. *Dig Dis* **33**, 175-182. <http://www.ncbi.nlm.nih.gov/pubmed/25925920>
64. **Tortora R, Capone P, De Stefano G et al.** (2015) Metabolic syndrome in patients with coeliac disease on a gluten-free diet. *Alimentary pharmacology & therapeutics* **41**, 352-359. <http://www.ncbi.nlm.nih.gov/pubmed/25581084>
65. **Valletta E, Fornaro M, Cipolli M et al.** (2010) Celiac disease and obesity: need for nutritional follow-up after diagnosis. *Eur J Clin Nutr* **64**, 1371-1372. <http://www.ncbi.nlm.nih.gov/pubmed/20717130>
66. **Verma AK, Gatti S, Galeazzi T et al.** (2017) Gluten Contamination in Naturally or Labeled Gluten-Free Products Marketed in Italy. *Nutrients* **9**. <http://www.ncbi.nlm.nih.gov/pubmed/28178205>
67. **Vici G, Belli L, Biondi M et al.** (2016) Gluten free diet and nutrient deficiencies: A review. *Clin Nutr* **35**, 1236-1241. <http://www.ncbi.nlm.nih.gov/pubmed/27211234>
68. **Volta U, Tovoli F & Caio G** (2011) Clinical and immunological features of celiac disease in patients with Type 1 diabetes mellitus. *Expert Rev Gastroenterol Hepatol* **5**, 479-487. <http://www.ncbi.nlm.nih.gov/pubmed/21780895>
69. **Walter T, Wieser H & Koehler P** (2014) Production of gluten-free wheat starch by peptidase treatment. *Journal of Cereal Science* **60**, 202-209.
70. **Wessels MM, van V, II, Vriezinga SL et al.** (2016) Complementary Serologic Investigations in Children with Celiac Disease Is Unnecessary during Follow-Up. *J Pediatr* **169**, 55-60. <http://www.ncbi.nlm.nih.gov/pubmed/26547400>
71. **WHO** (2013) What are the health consequences of being overweight? .<http://www.who.int/features/qa/49/en/>

72. **WHO** (2017) Physical activity.<http://www.who.int/mediacentre/factsheets/fs385/en/>