F9U1 – References

1. **Aaltonen K, Laurikka P, Huhtala H *et al.*** (2017) The Long-Term Consumption of Oats in Celiac Disease Patients Is Safe: A Large Cross-Sectional Study. *Nutrients* **9**. http://www.ncbi.nlm.nih.gov/pubmed/28617328
2. **Andren Aronsson C, Lee HS, Koletzko S *et al.*** (2016) Effects of Gluten Intake on Risk of Celiac Disease: A Case-Control Study on a Swedish Birth Cohort. *Clin Gastroenterol Hepatol* **14**, 403-409 e403. http://www.ncbi.nlm.nih.gov/pubmed/26453955
3. **Arentz-Hansen H, Korner R, Molberg O *et al.*** (2000) The intestinal T cell response to alpha-gliadin in adult celiac disease is focused on a single deamidated glutamine targeted by tissue transglutaminase. *J Exp Med* **191**, 603-612. http://www.ncbi.nlm.nih.gov/pubmed/10684852
4. **Aronsson CA, Lee HS, Liu E *et al.*** (2015) Age at gluten introduction and risk of celiac disease. *Pediatrics* **135**, 239-245. http://www.ncbi.nlm.nih.gov/pubmed/25601977
5. **Beyerlein A, Donnachie E & Ziegler AG** (2017) Infections in Early Life and Development of Celiac Disease. *Am J Epidemiol* **186**, 1277-1280. http://www.ncbi.nlm.nih.gov/pubmed/28637333
6. **Biesiekierski JR** (2017) What is gluten? *J Gastroenterol Hepatol* **32 Suppl 1**, 78-81. http://www.ncbi.nlm.nih.gov/pubmed/28244676
7. **Cataldo F, Marino V, Ventura A *et al.*** (1998) Prevalence and clinical features of selective immunoglobulin A deficiency in coeliac disease: an Italian multicentre study. Italian Society of Paediatric Gastroenterology and Hepatology (SIGEP) and "Club del Tenue" Working Groups on Coeliac Disease. *Gut* **42**, 362-365. http://www.ncbi.nlm.nih.gov/pubmed/9577342
8. **Collin P, Salmi TT, Hervonen K *et al.*** (2017) Dermatitis herpetiformis: a cutaneous manifestation of coeliac disease. *Ann Med* **49**, 23-31. http://www.ncbi.nlm.nih.gov/pubmed/27499257
9. **Daum S, Ipczynski R, Schumann M *et al.*** (2009) High rates of complications and substantial mortality in both types of refractory sprue. *Eur J Gastroenterol Hepatol* **21**, 66-70. http://www.ncbi.nlm.nih.gov/pubmed/19011576
10. **Di Sabatino A & Corazza GR** (2009) Coeliac disease. *Lancet* **373**, 1480-1493. http://www.ncbi.nlm.nih.gov/pubmed/19394538
11. **Donaldson MR, Zone JJ, Schmidt LA *et al.*** (2007) Epidermal transglutaminase deposits in perilesional and uninvolved skin in patients with dermatitis herpetiformis. *J Invest Dermatol* **127**, 1268-1271. http://www.ncbi.nlm.nih.gov/pubmed/17205060
12. **Dube C, Rostom A, Sy R *et al.*** (2005) The prevalence of celiac disease in average-risk and at-risk Western European populations: a systematic review. *Gastroenterology* **128**, S57-67. http://www.ncbi.nlm.nih.gov/pubmed/15825128
13. **Emilsson L, Magnus MC & Stordal K** (2015) Perinatal risk factors for development of celiac disease in children, based on the prospective Norwegian Mother and Child Cohort Study. *Clin Gastroenterol Hepatol* **13**, 921-927. http://www.ncbi.nlm.nih.gov/pubmed/25459557
14. **Felber J, Aust D, Baas S *et al.*** (2014) [Results of a S2k-Consensus Conference of the German Society of Gastroenterolgy, Digestive- and Metabolic Diseases (DGVS) in conjunction with the German Coeliac Society (DZG) regarding coeliac disease, wheat allergy and wheat sensitivity]. *Z Gastroenterol* **52**, 711-743. http://www.ncbi.nlm.nih.gov/pubmed/25026010
15. **Giannotti A, Tiberio G, Castro M *et al.*** (2001) Coeliac disease in Williams syndrome. *J Med Genet* **38**, 767-768. http://www.ncbi.nlm.nih.gov/pubmed/11694549
16. **Giorgio F, Principi M, Losurdo G *et al.*** (2015) Seronegative Celiac Disease and Immunoglobulin Deficiency: Where to Look in the Submerged Iceberg? *Nutrients* **7**, 7486-7504. http://www.ncbi.nlm.nih.gov/pubmed/26371035
17. **Goldacre MJ, Wotton CJ, Seagroatt V *et al.*** (2004) Cancers and immune related diseases associated with Down's syndrome: a record linkage study. *Arch Dis Child* **89**, 1014-1017. http://www.ncbi.nlm.nih.gov/pubmed/15499053
18. **Greco L, Romino R, Coto I *et al.*** (2002) The first large population based twin study of coeliac disease. *Gut* **50**, 624-628. http://www.ncbi.nlm.nih.gov/pubmed/11950806
19. **Green PH** (2005) The many faces of celiac disease: clinical presentation of celiac disease in the adult population. *Gastroenterology* **128**, S74-78. http://www.ncbi.nlm.nih.gov/pubmed/15825130
20. **Green PH, Krishnareddy S & Lebwohl B** (2015) Clinical manifestations of celiac disease. *Dig Dis* **33**, 137-140. http://www.ncbi.nlm.nih.gov/pubmed/25925914
21. **Helander HF & Fandriks L** (2014) Surface area of the digestive tract - revisited. *Scand J Gastroenterol* **49**, 681-689. http://www.ncbi.nlm.nih.gov/pubmed/24694282
22. **Heneghan MA, Stevens FM, Cryan EM *et al.*** (1997) Celiac sprue and immunodeficiency states: a 25-year review. *J Clin Gastroenterol* **25**, 421-425. http://www.ncbi.nlm.nih.gov/pubmed/9412941

23. **Hopman EG, Kiefte-de Jong JC, le Cessie S *et al.*** (2007) Food questionnaire for assessment of infant gluten consumption. *Clin Nutr* **26**, 264-271. http://www.ncbi.nlm.nih.gov/pubmed/17316924
24. **Horwitz A, Skaaby T, Karhus LL *et al.*** (2015) Screening for celiac disease in Danish adults. *Scand J Gastroenterol* **50**, 824-831. http://www.ncbi.nlm.nih.gov/pubmed/25687734
25. **Husby S, Koletzko S, Korponay-Szabo IR *et al.*** (2012) European Society for Pediatric Gastroenterology, Hepatology, and Nutrition guidelines for the diagnosis of coeliac disease. *J Pediatr Gastroenterol Nutr* **54**, 136-160. http://www.ncbi.nlm.nih.gov/pubmed/22197856
26. **Jabri B & Sollid LM** (2017) T Cells in Celiac Disease. *J Immunol* **198**, 3005-3014. http://www.ncbi.nlm.nih.gov/pubmed/28373482
27. **Jansen MA, van den Heuvel D, van der Zwet KV *et al.*** (2016) Herpesvirus Infections and Transglutaminase Type 2 Antibody Positivity in Childhood: The Generation R Study. *J Pediatr Gastroenterol Nutr* **63**, 423-430. http://www.ncbi.nlm.nih.gov/pubmed/26881413
28. **Kemppainen KM, Lynch KF, Liu E *et al.*** (2017) Factors That Increase Risk of Celiac Disease Autoimmunity After a Gastrointestinal Infection in Early Life. *Clin Gastroenterol Hepatol* **15**, 694-702 e695. http://www.ncbi.nlm.nih.gov/pubmed/27840181
29. **Koletzko S, Lee HS, Beyerlein A *et al.*** (2017) Caesarean Section on The Risk of Celiac Disease in the Offspring: The Teddy Study. *J Pediatr Gastroenterol Nutr*. http://www.ncbi.nlm.nih.gov/pubmed/28753178
30. **Koning F** (2014) Pathophysiology of celiac disease. *J Pediatr Gastroenterol Nutr* **59 Suppl 1**, S1-4. http://www.ncbi.nlm.nih.gov/pubmed/24979191
31. **Korponay-Szabo IR, Dahlbom I, Laurila K *et al.*** (2003) Elevation of IgG antibodies against tissue transglutaminase as a diagnostic tool for coeliac disease in selective IgA deficiency. *Gut* **52**, 1567-1571. http://www.ncbi.nlm.nih.gov/pubmed/14570724
32. **Lebwohl B, Blaser MJ, Ludvigsson JF *et al.*** (2013) Decreased risk of celiac disease in patients with Helicobacter pylori colonization. *Am J Epidemiol* **178**, 1721-1730. http://www.ncbi.nlm.nih.gov/pubmed/24124196
33. **Lebwohl B, Sanders DS & Green PHR** (2017) Coeliac disease. *Lancet*. http://www.ncbi.nlm.nih.gov/pubmed/28760445
34. **Lionetti E, Castellaneta S, Francavilla R *et al.*** (2017) Mode of Delivery and Risk of Celiac Disease: Risk of Celiac Disease and Age at Gluten Introduction Cohort Study. *J Pediatr* **184**, 81-86 e82. http://www.ncbi.nlm.nih.gov/pubmed/28196682
35. **Lionetti E, Castellaneta S, Francavilla R *et al.*** (2014) Introduction of gluten, HLA status, and the risk of celiac disease in children. *N Engl J Med* **371**, 1295-1303. http://www.ncbi.nlm.nih.gov/pubmed/25271602
36. **Ludvigsson JF, Leffler DA, Bai JC *et al.*** (2013) The Oslo definitions for coeliac disease and related terms. *Gut* **62**, 43-52. http://www.ncbi.nlm.nih.gov/pubmed/22345659
37. **Ludvigsson JF, Lindelof B, Zingone F *et al.*** (2011) Psoriasis in a nationwide cohort study of patients with celiac disease. *J Invest Dermatol* **131**, 2010-2016. http://www.ncbi.nlm.nih.gov/pubmed/21654830
38. **Lundin KE, Gjertsen HA, Scott H *et al.*** (1994) Function of DQ2 and DQ8 as HLA susceptibility molecules in celiac disease. *Hum Immunol* **41**, 24-27. http://www.ncbi.nlm.nih.gov/pubmed/7836060
39. **Lundin KE & Sollid LM** (2014) Advances in coeliac disease. *Curr Opin Gastroenterol* **30**, 154-162. http://www.ncbi.nlm.nih.gov/pubmed/24457347
40. **Marild K, Stordal K, Hagman A *et al.*** (2016) Turner Syndrome and Celiac Disease: A Case-Control Study. *Pediatrics* **137**, e20152232. http://www.ncbi.nlm.nih.gov/pubmed/26746404
41. **Myleus A, Stenlund H, Hernell O *et al.*** (2012) Early vaccinations are not risk factors for celiac disease. *Pediatrics* **130**, e63-70. http://www.ncbi.nlm.nih.gov/pubmed/22732174
42. **Narang M, Puri AS, Sachdeva S *et al.*** (2017) Celiac disease and Helicobacter pylori infection in children: Is there any Association? *J Gastroenterol Hepatol* **32**, 1178-1182. http://www.ncbi.nlm.nih.gov/pubmed/27862319
43. **NICE** (2015) Coeliac disease: recognition, assessment and management.https://www.nice.org.uk/guidance/ng20
44. **Pinto-Sanchez MI, Causada-Calo N, Bercik P *et al.*** (2017) Safety of Adding Oats to a Gluten-Free Diet for Patients With Celiac Disease: Systematic Review and Meta-analysis of Clinical and Observational Studies. *Gastroenterology* **153**, 395-409 e393. http://www.ncbi.nlm.nih.gov/pubmed/28431885
45. **Reunala T, Salmi TT & Hervonen K** (2015) Dermatitis herpetiformis: pathognomonic transglutaminase IgA deposits in the skin and excellent prognosis on a gluten-free diet. *Acta Derm Venereol* **95**, 917-922. http://www.ncbi.nlm.nih.gov/pubmed/26059085
46. **Roshan B, Leffler DA, Jamma S *et al.*** (2011) The incidence and clinical spectrum of refractory celiac disease in a north american referral center. *Am J Gastroenterol* **106**, 923-928. http://www.ncbi.nlm.nih.gov/pubmed/21468013
47. **Rowinski SA & Christensen E** (2016) Epidemiologic and therapeutic aspects of refractory coeliac disease - a systematic review. *Dan Med J* **63**. http://www.ncbi.nlm.nih.gov/pubmed/27910801

48. **Sardy M, Karpati S, Merkl B *et al.*** (2002) Epidermal transglutaminase (TGase 3) is the autoantigen of dermatitis herpetiformis. *J Exp Med* **195**, 747-757. http://www.ncbi.nlm.nih.gov/pubmed/11901200
49. **Schalk K, Lexhaller B, Koehler P *et al.*** (2017) Isolation and characterization of gluten protein types from wheat, rye, barley and oats for use as reference materials. *PLoS One* **12**, e0172819. http://www.ncbi.nlm.nih.gov/pubmed/28234993
50. **Shan L, Molberg O, Parrot I *et al.*** (2002) Structural basis for gluten intolerance in celiac sprue. *Science* **297**, 2275-2279. http://www.ncbi.nlm.nih.gov/pubmed/12351792
51. **Sticherling M & Erfurt-Berge C** (2012) Autoimmune blistering diseases of the skin. *Autoimmun Rev* **11**, 226-230. http://www.ncbi.nlm.nih.gov/pubmed/21640850
52. **Szajewska H, Shamir R, Mearin L *et al.*** (2016) Gluten Introduction and the Risk of Coeliac Disease: A Position Paper by the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr* **62**, 507-513. http://www.ncbi.nlm.nih.gov/pubmed/26815017
53. **Tjon JM, van Bergen J & Koning F** (2010) Celiac disease: how complicated can it get? *Immunogenetics* **62**, 641-651. http://www.ncbi.nlm.nih.gov/pubmed/20661732
54. **Vaarala O, Jokinen J, Lahdenkari M *et al.*** (2017) Rotavirus Vaccination and the Risk of Celiac Disease or Type 1 Diabetes in Finnish Children at Early Life. *Pediatr Infect Dis J* **36**, 674-675. http://www.ncbi.nlm.nih.gov/pubmed/28399059
55. **van Wanrooij RL, Bouma G, Bontkes HJ *et al.*** (2017) Outcome of Referrals for Non-Responsive Celiac Disease in a Tertiary Center: Low Incidence of Refractory Celiac Disease in the Netherlands. *Clin Transl Gastroenterol* **8**, e218. http://www.ncbi.nlm.nih.gov/pubmed/28125074
56. **Verkarre V, Asnafi V, Lecomte T *et al.*** (2003) Refractory coeliac sprue is a diffuse gastrointestinal disease. *Gut* **52**, 205-211. http://www.ncbi.nlm.nih.gov/pubmed/12524401
57. **Vriezinga SL, Auricchio R, Bravi E *et al.*** (2014) Randomized feeding intervention in infants at high risk for celiac disease. *N Engl J Med* **371**, 1304-1315. http://www.ncbi.nlm.nih.gov/pubmed/25271603